



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Infinite Chemical Analysis Labs
8380 Miramar Mall, Suite 102, San Diego, CA 92121
8312 Miramar Mall, San Diego, CA 92121

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2017

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Chemical, Non-Destructive and Microbiological Testing
(As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

Initial Accreditation Date:

July 13, 2018

Issue Date:

December 21, 2020

Expiration Date:

March 31, 2023

Accreditation No.:

95560

Certificate No.:

L20-761

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjilabs.com



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

8312 Miramar Mall, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Plant Material	Cannabinoid Potency: CBC CBCA CBCV CBD CBDA CBDV CBDVA CBG CBGA CBL CBLA CBN CBNA CBT d8-THC d9-THC THCA THCV THCVA	POTINST-005 (UPLC/DAD)	D.L.= 0.006 4 % D.L.= 0.009 1 % D.L.= 0.002 8 % D.L.= 0.002 0 % D.L.= 0.004 7 % D.L.= 0.001 6 % D.L.= 0.005 1 % D.L.= 0.002 2 % D.L.= 0.003 5 % D.L.= 0.001 5 % D.L.= 0.021 4 % D.L.= 0.002 2 % D.L.= 0.003 3 % D.L.= 0.002 8 % D.L.= 0.001 6 % D.L.= 0.002 6 % D.L.= 0.003 6 % D.L.= 0.001 2 % D.L.= 0.003 9 %
	Cannabis Goods Infused Products	Cannabinoid Potency: CBC CBCA CBCV CBD CBDA CBDV CBDVA CBG CBGA CBL CBLA CBN CBNA CBT d8-THC d9-THC THCA THCV THCVA	POTINST-005 (UPLC/DAD)	D.L.= 0.001 5 % D.L.= 0.002 3 % D.L.= 0.002 0 % D.L.= 0.000 5 % D.L.= 0.000 6 % D.L.= 0.000 5 % D.L.= 0.000 8 % D.L.= 0.000 6 % D.L.= 0.001 8 % D.L.= 0.000 7 % D.L.= 0.004 3 % D.L.= 0.000 7 % D.L.= 0.001 6 % D.L.= 0.000 7 % D.L.= 0.000 5 % D.L.= 0.000 5 % D.L.= 0.001 2 % D.L.= 0.000 5 % D.L.= 0.000 9 %



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

8312 Miramar Mall, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Goods Infused Edibles	Cannabinoid Potency: CBC CBCA CBCV CBD CBDA CBDV CBDVA CBG CBGA CBL CBLA CBN CBNA CBT d8-THC d9-THC THCA THCV THCVA	POTINST-005 (UPLC/DAD)	D.L = 0.000 3 % D.L = 0.000 6 % D.L = 0.000 1 % D.L = 0.000 1 % D.L = 0.000 2 % D.L = 0.000 1 % D.L = 0.000 2 % D.L = 0.000 1 % D.L = 0.000 1 % D.L = 0.000 2 % D.L = 0.000 1 % D.L = 0.000 1 % D.L = 0.000 7 % D.L = 0.000 1 % D.L = 0.000 1 % D.L = 0.000 3 % D.L = 0.000 1 % D.L = 0.000 4 % D.L = 0.000 1 % D.L = 0.000 1 %
	Cannabis Goods Infused Topicals	Cannabinoid Potency: CBC CBCA CBCV CBD CBDA CBDV CBDVA CBG CBGA CBL CBLA CBN CBNA CBT d8-THC d9-THC THCA THCV THCVA	POTINST-005 (UPLC/DAD)	D.L = 0.001 4 % D.L = 0.002 % D.L = 0.001 2 % D.L = 0.000 5 % D.L = 0.001 8 % D.L = 0.000 6 % D.L = 0.000 6 % D.L = 0.000 6 % D.L = 0.001 % D.L = 0.000 7 % D.L = 0.005 9 % D.L = 0.000 9 % D.L = 0.001 7 % D.L = 0.001 5 % D.L = 0.000 7 % D.L = 0.001 2 % D.L = 0.001 6 % D.L = 0.000 5 % D.L = 0.000 9 %



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121
 8312 Miramar Mall, San Diego, CA 92121
 Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabinoid Goods Concentrate and Extracts	Cannabinoid Potency: CBC CBCA CBCV CBD CBDA CBDV CBDVA CBG CBGA CBL CBLA CBN CBNA CBT d8-THC d9-THC THCA THC THCVA	POT-E001.1 POT-E001.2 POT-TERP	D.L.= 0.0152 % D.L.= 0.017 % D.L.= 0.007 % D.L.= 0.008 % D.L.= 0.010 % D.L.= 0.004 % D.L.= 0.011 % D.L.= 0.013 % D.L.= 0.013 % D.L.= 0.011 % D.L.= 0.104 % D.L.= 0.008 % D.L.= 0.012 % D.L.= 0.009 % D.L.= 0.010 % D.L.= 0.009 % D.L.= 0.004 % D.L.= 0.015 %
	Cannabis Goods Concentrates, and Extracts	Residual Solvents: 1,2-Dichloro-Ethane Benzene Chloroform Ethylene Oxide Methylene-Chloride Trichloroethene Acetone Acetonitrile Butane Ethanol Ethyl-Acetate Ethyl-Ether Heptane n-Hexane Isopropanol Methanol Pentane Propane Toluene m-xylene and p-xylene o-xylene	RSINST-004 (GC/MS)	D.L.= 0.169 7 ppm D.L.= 0.021 3 ppm D.L.= 0.036 1 ppm D.L.= 0.152 9 ppm D.L.= 0.126 7 ppm D.L.= 0.017 9 ppm D.L.= 17.081 9 ppm D.L.= 0.119 8 ppm D.L.= 0.970 9 ppm D.L.= 2.614 5 ppm D.L.= 0.312 5 ppm D.L.= 1.182 5 ppm D.L.= 0.686 6 ppm D.L.= 0.065 9 ppm D.L.= 1.280 0 ppm D.L.= 2.972 2 ppm D.L.= 0.961 9 ppm D.L.= 4.434 1 ppm D.L.= 0.088 2 ppm D.L.= 0.115 4 ppm D.L.= 0.100 7 ppm



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

8312 Miramar Mall, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Goods Infused Edibles	Residual Solvents: 1,2-Dichloro-Ethane Benzene Chloroform Ethylene Oxide Methylene-Chloride Trichloroethene Acetone Acetonitrile Butane Ethanol Ethyl-Acetate Ethyl-Ether Heptane n-Hexane Isopropanol Methanol Pentane Propane Toluene m-xylene and p-xylene o-xylene	RSINST-004 (GC/MS)	D.L.= 0.088 0 ppm D.L.= 0.017 2 ppm D.L.= 0.025 5 ppm D.L.= 0.179 1 ppm D.L.= 0.079 9 ppm D.L.= 0.027 6 ppm D.L.= 0.716 2 ppm D.L.= 0.139 8 ppm D.L.= 0.747 9 ppm D.L.= 2.525 1 ppm D.L.= 0.175 4 ppm D.L.= 0.388 7 ppm D.L.= 0.495 8 ppm D.L.= 0.027 0 ppm D.L.= 0.613 7 ppm D.L.= 0.867 3 ppm D.L.= 1.691 8 ppm D.L.= 3.236 3 ppm D.L.= 0.067 5 ppm D.L.= 0.223 8 ppm D.L.= 0.102 5 ppm
	Cannabis Goods Infused Topicals	Residual Solvents: 1,2-Dichloro-Ethane Benzene Chloroform Ethylene Oxide Methylene-Chloride Trichloroethene Acetone Acetonitrile Butane Ethanol Ethyl-Acetate Ethyl-Ether Heptane n-Hexane Isopropanol Methanol Pentane Propane Toluene m-xylene and p-xylene o-xylene	RS-001	D.L.= 0.099 8 ppm D.L.= 0.033 3 ppm D.L.= 0.051 4 ppm D.L.= 0.323 7 ppm D.L.= 0.178 5 ppm D.L.= 0.066 5 ppm D.L.= 3.144 1 ppm D.L.= 0.574 4 ppm D.L.= 2.786 8 ppm D.L.= 1.937 9 ppm D.L.= 0.329 0 ppm D.L.= 0.901 1 ppm D.L.= 0.747 5 ppm D.L.= 0.111 8 ppm D.L.= 2.579 7 ppm D.L.= 0.867 2 ppm D.L.= 1.737 3 ppm D.L.= 10.650 8 ppm D.L.= 0.068 5 ppm D.L.= 0.275 7 ppm D.L.= 0.168 4 ppm



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121
 8312 Miramar Mall, San Diego, CA 92121
 Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Marijuana Infused Products	Residual Solvents: 1,2-Dichloro-Ethane Benzene Chloroform Ethylene Oxide Methylene-Chloride Trichloroethene Acetone Acetonitrile Butane Ethanol Ethyl-Acetate Ethyl-Ether Heptane n-Hexane Isopropanol Methanol Pentane Propane Toluene m-xylene and p-xylene o-xylene	RS-001 GC/MS	D.L.= 0.103 2 ppm D.L.= 0.029 5 ppm D.L.= 0.057 9 ppm D.L.= 0.252 4ppm D.L.= 0.147 5 ppm D.L.= 0.063 2 ppm D.L.= 2.572 0 ppm D.L.= 0.266 1 ppm D.L.= 1.114 0 ppm D.L.= 13.513 9 ppm D.L.= 0.436 4 ppm D.L.= 0.593 3 ppm D.L.= 2.182 5 ppm D.L.= 0.310 4 ppm D.L.= 1.679 1 ppm D.L.= 1.554 9 ppm D.L.= 5.751 8 ppm D.L.= 8.703 0 ppm D.L.= 0.135 5 ppm D.L.= 0.317 2 ppm D.L.= 0.240 9 ppm
	Cannabis Goods Infused Edibles	Residual Pesticides: alpha-Chlordane Captan Chlorfenapyr Cyfluthrin Cypermethrin gamma-Chlordane Methyl Parathion Pentachloro-nitrobenzene Acephate Acequinocyl 2 Acetamiprid Aldicarb Avermectin B1a Azoxystrobin Bifenazate Bifenthrin Boscalid Carbaryl	LCINST-003 PEST-001 (LC/MSMS, GC/MSMS)	D.L.= 24.91 ppb D.L.= 119.50 ppb D.L.= 25.10 ppb D.L.= 18.61 ppb D.L.= 14.51 ppb D.L.= 24.91 ppb D.L.= 8.11 ppb D.L.= 18.15 ppb D.L.= 16.38 ppb D.L.= 19.38 ppb D.L.= 14.57 ppb D.L.= 21.58 ppb D.L.= 9.58 ppb D.L.= 9.60 ppb D.L.= 11.53 ppb D.L.= 13.03 ppb D.L.= 19.68 ppb D.L.= 16.02 ppb



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121
8312 Miramar Mall, San Diego, CA 92121
Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Plant Material	Residual Pesticides: alpha-Chlordane Captan Chlorfenapyr Cyfluthrin Cypermethrin gamma-Chlordane Methyl Parathion Pentachloro-nitrobenzene Acephate Acequinocyl 2 Acetamiprid Aldicarb Avermectin B1a Azoxystrobin Bifenazate Bifenthrin Boscalid	LCINST-003 PEST-001 (LC/MSMS, GC/MSMS)	D.L.= 24.91 ppb D.L.= 119.50 ppb D.L.= 25.10 ppb D.L.= 18.61 ppb D.L.= 25.59 ppb D.L.= 24.91 ppb D.L.= 8.11 ppb D.L.= 18.15 ppb D.L.= 10.47 ppb D.L.= 23.70 ppb D.L.= 9.26 ppb D.L.= 17.95 ppb D.L.= 31.43 ppb D.L.= 5.95 ppb D.L.= 9.72 ppb D.L.= 6.40 ppb D.L.= 11.47 ppb



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

8312 Miramar Mall, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Plant Material	Residual Pesticides: Carbaryl Carbofuran Chlorantranilprole Chlorpyrifos Clofentezine Coumpos Daminozide Diazinon Dichlorovos Dimethoate Dimethomorph Etofenprox Etoxazole Fenhexamid Fenoxycarb Fenpyroximate Fipronil Flonicamid Fludioxonil Hexythiazox Imazalil Imidacloprid Kresoxim-methyl Malathion Metalaxyl Methiocarb Methomyl	LCINST-003 PEST-001 (LC/MSMS, GC/MSMS)	D.L.= 13.87 ppb D.L.= 6.66 ppb D.L.= 12.32 ppb D.L.= 15.79 ppb D.L.= 9.40 ppb D.L.= 10.31 ppb D.L.= 28.34 ppb D.L.= 3.28 ppb D.L.= 21.71 ppb D.L.= 9.82 ppb D.L.= 9.16 ppb D.L.= 6.20 ppb D.L.= 5.16 ppb D.L.= 11.78 ppb D.L.= 10.79 ppb D.L.= 6.39 ppb D.L.= 16.73ppb D.L.= 17.73 ppb D.L.= 17.66 ppb D.L.= 10.61 ppb D.L.= 13.54 ppb D.L.= 18.02 ppb D.L.= 11.67 ppb D.L.= 8.30 ppb D.L.= 6.61 ppb D.L.= 10.53 ppb D.L.= 11.76 ppb



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

8312 Miramar Mall, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Plant Material	Residual Pesticides: Mevinphos Myclobutanil Naled Oxamyl Pacllobutrazol Permethrin-cis Permethrin-trans Phosmet Piperonyl butoxide Prallethrin Prophos Propiconazole Propoxur Pyrethrin Pyrethrin II Pyrethrin Pyrethrin I Pyridaben Spinetoram 1 Spinetoram 2 Spinosad A Spinosad D Spiromesifen Spirotetramat Spiroxamine Tebuconazole Thiacloprid Thiamethoxam Trifloxystrobin	LCINST-003 PEST-001 (LC/MSMS, GC/MSMS))	D.L.= 12.77 ppb D.L.= 14.90 ppb D.L.= 20.41 ppb D.L.= 11.92 ppb D.L.= 11.06 ppb D.L.= 16.20 ppb D.L.= 21.70 ppb D.L.= 10.14 ppb D.L.= 6.35 ppb D.L.= 14.94 ppb D.L.= 11.50 ppb D.L.= 13.75 ppb D.L.= 11.54 ppb D.L.= 6.82 ppb D.L.= 10.34 ppb D.L.= 7.78 ppb D.L.= 17.74 ppb D.L.= 5.00 ppb D.L.= 7.60 ppb D.L.= 2.50 ppb D.L.= 8.30 ppb D.L.= 9.95 ppb D.L.= 7.94 ppb D.L.= 10.11 ppb D.L.= 10.86 ppb D.L.= 11.79 ppb D.L.= 5.57 ppb



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

8312 Miramar Mall, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Goods Infused Edibles	Residual Pesticides: Carbofuran Chlorantranilprole Chlorpyrifos Clofentezine Coumpos Daminozide Diazinon Dichlorovos Dimethoate Dimethomorph Etofenprox Etoxazole Fenhexamid Fenoxycarb Fenpyroximate Fipronil Flonicamid Fludioxonil Hexythiazox Imazalil Imidacloprid Kresoxim-methyl Malathion Metalaxyl Methiocarb Methomyl Mevinphos Myclobutanil Naled Oxamyl Paclobutrazol Permethrin-cis Permethrin-trans Phosmet Piperonyl butoxide Prallethrin Prophos Propiconazole Propoxur Pyrethrin Pyrethrin II Pyrethrin Pyrethrin I Pyridaben Spinetoram 1 Spinetoram 2	LCINST-003 PEST-001 (LC/MSMS, GC/MSMS)	D.L.= 9.02 ppb D.L.= 20.85 ppb D.L.= 17.61 ppb D.L.= 12.85 ppb D.L.= 18.46 ppb D.L.= 26.10 ppb D.L.= 6.45 ppb D.L.= 22.26 ppb D.L.= 11.75 ppb D.L.= 13.74 ppb D.L.= 8.49 ppb D.L.= 7.83 ppb D.L.= 12.94 ppb D.L.= 14.35 ppb D.L.= 9.72 ppb D.L.= 14.76 ppb D.L.= 26.75 ppb D.L.= 15.32 ppb D.L.= 25.67 ppb D.L.= 15.62 ppb D.L.= 23.47 ppb D.L.= 12.49 ppb D.L.= 11.67 ppb D.L.= 10.09 ppb D.L.= 15.60 ppb D.L.= 15.80 ppb D.L.= 13.94 ppb D.L.= 18.02 ppb D.L.= 16.96 ppb D.L.= 15.34 ppb D.L.= 13.21 ppb D.L.= 8.31 ppb D.L.= 14.53 ppb D.L.= 12.45 ppb D.L.= 7.59 ppb D.L.= 22.60 ppb D.L.= 17.42 ppb D.L.= 19.48 ppb D.L.= 15.53 ppb D.L.= 4.31 ppb D.L.= 7.08 ppb D.L.= 11.54 ppb D.L. = 21.00 ppb D.L.= 6.39 ppb



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121
 8312 Miramar Mall, San Diego, CA 92121
 Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Goods Infused Edibles	Residual Pesticides: Spinosad A Spinosad D Spiromesifen Spirotetramat Spiroxamine Tebuconazole Thiacloprid Thiamethoxam Trifloxystrobin	LCINST-003 PEST-001 (LC/MSMS, GC/MSMS)	D.L.= 9.10 ppb D.L.= 4.10 ppb D.L.= 13.74 ppb D.L.= 13.44 ppb D.L.= 10.55 ppb D.L.= 14.43 ppb D.L.= 13.90 ppb D.L.= 18.12 ppb D.L.= 10.23 ppb
	Cannabis Goods Infused Topicals	Residual Pesticides: alpha-Chlordane Captan Chlorfenapyr Cyfluthrin Cypermethrin gamma-Chlordane Methyl Parathion Pentachloro-nitrobenzene Acephate Acequinocyl 2 Acetamiprid Aldicarb Avermectin B1a Azoxystrobin Bifenazate Bifenthrin Boscalid Carbaryl Carbofuran Chlorantraniliprole Chlorpyrifos Clofentezine Coumpos Daminozide Diazinon Dichlorovos Dimethoate Dimethomorph Etofenprox Etoxazole Fenhexamid Fenoxycarb Fenpyroximate Fipronil	LCINST-003 PEST-001 (LC/MSMS, GC/MSMS)	D.L.= 24.91 ppb D.L.= 119.50 ppb D.L.= 25.10 ppb D.L.= 18.61 ppb D.L.= 14.51 ppb D.L.= 24.91 ppb D.L.= 8.11 ppb D.L.= 18.15 ppb D.L.= 6.29 ppb D.L.= 28.00 ppb D.L.= 7.18 ppb D.L.= 9.97 ppb D.L.= 14.45 ppb D.L.= 4.00 ppb D.L.= 7.87 ppb D.L.= 16.17 ppb D.L.= 10.59 ppb D.L.= 6.14 ppb D.L.= 3.84 ppb D.L.= 6.57 ppb D.L.= 10.78 ppb D.L.= 5.95 ppb D.L.= 7.12 ppb D.L.= 19.01 ppb D.L.= 27.09 ppb D.L.= 16.76 ppb D.L.= 9.06 ppb D.L.= 10.16 ppb D.L.= 6.42 ppb D.L.= 4.98 ppb D.L.= 14.65 ppb D.L.= 11.06 ppb D.L.= 9.52 ppb D.L.= 5.68 ppb



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Goods Infused Topicals	Residual Pesticides: Flonicamid Fludioxonil Hexythiazox Imazalil Imidacloprid Kresoxim-methyl Malathion Metalaxyl Methiocarb Methomyl Mevinphos Myclobutanil Naled Oxamyl Paclobutrazol Permethrin-cis Permethrin-trans Phosmet Piperonyl butoxide Prallethrin Prophos Propiconazole Propoxur Pyrethrin Pyrethrin II Pyrethrin Pyrethrin I Pyridaben Spinetoram 1 Spinetoram 2 Spinosad A Spinosad D Spiromesifen Spirotetramat Spiroxamine Tebuconazole Thiacloprid Thiamethoxam Trifloxystrobin	LCINST-003 PEST-001 (LC/MSMS, GC/MSMS)	D.L.= 18.09 ppb D.L.= 19.24 ppb D.L.= 21.67 ppb D.L.= 9.37 ppb D.L.= 23.08 ppb D.L.= 9.82 ppb D.L.= 6.73 ppb D.L.= 4.67 ppb D.L.= 9.56 ppb D.L.= 10.48 ppb D.L.= 13.33 ppb D.L.= 9.63 ppb D.L.= 11.56 ppb D.L.= 10.25 ppb D.L.= 11.11 ppb D.L.= 3.96 ppb D.L.= 22.62 ppb D.L.= 8.07 ppb D.L.= 8.69 ppb D.L.= 20.4 ppb D.L.= 5.86 ppb D.L.= 21.03 ppb D.L.= 6.56 ppb D.L.= 3.57 ppb D.L.= 7.22 ppb D.L.= 8.34 ppb D.L.= 10.70 ppb D.L.= 3.17 ppb D.L.= 4.43 ppb D.L.= 3.02 ppb D.L.= 10.26 ppb D.L.= 9.92 ppb D.L.= 3.95 ppb D.L.= 21.30 ppb D.L.= 3.48 ppb D.L.= 9.14 ppb D.L.= 3.78 ppb



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

8312 Miramar Mall, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Goods Infused Products	Residual Pesticides: alpha-Chlordane Captan Chlorfenapyr Cyfluthrin Cypermethrin gamma-Chlordane Methyl Parathion Pentachloro-nitrobenzene Acephate Acequinocyl 2 Acetamiprid Aldicarb Avermectin B1a Azoxystrobin Bifenazate Bifenthrin Boscalid Carbaryl Carbofuran Chlorantraniliprole Chlorpyrifos Clofentezine Coumpos Daminozide Diazinon Dichlorovos Dimethoate Dimethomorph Etofenprox Etoxazole Fenhexamid Fenoxycarb Fenpyroximate Fipronil Flonicamid Fludioxonil Hexythiazox Imazalil Imidacloprid Kresoxim-methyl Malathion Metalaxyl Methiocarb Methomyl	LCINST-003 PEST-001 (LC/MSMS, GC/MSMS)	D.L.= 24.91 ppb D.L.= 119.50 ppb D.L.= 25.10 ppb D.L.= 18.61 ppb D.L.= 14.51 ppb D.L.= 24.91 ppb D.L.= 8.11 ppb D.L.= 18.15 ppb D.L.= 20.94 ppb D.L.= 11.45 ppb D.L.= 5.81 ppb D.L.= 9.35 ppb D.L.= 12.91 ppb D.L.= 3.22 ppb D.L.= 4.73 ppb D.L.= 5.83 ppb D.L.= 7.47 ppb D.L.= 4.04 ppb D.L.= 2.39 ppb D.L.= 5.63 ppb D.L.= 8.07 ppb D.L.= 4.64 ppb D.L.= 4.63 ppb D.L.= 10.73 ppb D.L.= 9.26 ppb D.L.= 7.28 ppb D.L.= 6.50 ppb D.L.= 8.71 ppb D.L.= 5.50 ppb D.L.= 3.49 ppb D.L.= 8.33 ppb D.L.= 5.72 ppb D.L.= 5.49 ppb D.L.= 7.71 ppb D.L.= 15.12 ppb D.L.= 15.76 ppb D.L.= 10.16 ppb D.L.= 8.63 ppb D.L.= 8.61 ppb D.L.= 7.03 ppb D.L.= 4.85 ppb D.L.= 3.40 ppb D.L.= 5.42 ppb D.L.= 6.45 ppb



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Goods Infused Products	Residual Pesticides: Mevinphos Myclobutanil Naled Oxamyl Pacllobutrazol Permethrin-cis Permethrin-trans Phosmet Piperonyl butoxide Prallethrin Prophos Propiconazole Propoxur Pyrethrin Pyrethrin II Pyrethrin Pyrethrin I Pyridaben Spinetoram 1 Spinetoram 2 Spinosad A Spinosad D Spiromesifen Spirotetramat Spiroxamine Tebuconazole Thiacloprid Thiamethoxam Trifloxystrobin	LCINST-003 PEST-001 (LC/MSMS, GC/MSMS)	D.L.= 10.52 ppb D.L.= 7.35 ppb D.L.= 4.59 ppb D.L.= 8.50 ppb D.L.= 5.77 ppb D.L.= 1.78 ppb D.L.= 14.05 ppb D.L.= 5.27 ppb D.L.= 6.35 ppb D.L.= 18.03 ppb D.L.= 3.91 ppb D.L.= 12.36 ppb D.L.= 5.24 ppb D.L.= 1.92 ppb D.L.= 6.17 ppb D.L.= 5.47 ppb D.L.= 9.95 ppb D.L.= 2.95 ppb D.L.= 3.98 ppb D.L.= 2.75 ppb D.L.= 5.40 ppb D.L.= 6.48 ppb D.L.= 2.64 ppb D.L.= 8.95 ppb D.L.= 1.77 ppb D.L.= 5.53 ppb D.L.= 2.34 ppb



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121
 8312 Miramar Mall, San Diego, CA 92121
 Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Goods Concentrates & Extracts	Residual Pesticides: alpha-Chlordane Captan Chlorfenapyr Cyfluthrin Cypermethrin gamma-Chlordane Methyl Parathion Pentachloro-nitrobenzene Acephate Acequinocyl 2 Acetamiprid Aldicarb Avermectin B1a Azoxystrobin Bifenazate Bifenthrin Boscalid Carbaryl Carbofuran Chlorantraniliprole Chlorpyrifos Clofentezine Coumpos Daminozide Diazinon Dichlorovos Dimethoate Dimethomorph Etofenprox Etoxazole Fenhexamid Fenoxycarb Fenpyroximate Fipronil Flonicamid Fludioxonil Hexythiazox	LCINST-003 PEST-001 (LC/MSMS, GC/MSMS)	D.L.= 24.91 ppb D.L.= 119.50 ppb D.L.= 25.10 ppb D.L.= 18.61 ppb D.L.= 60.24 ppb D.L.= 24.91 ppb D.L.= 8.11 ppb D.L.= 18.15 ppb D.L.= 7.43 ppb D.L.= 15.04 ppb D.L.= 4.96 ppb D.L.= 8.38 ppb D.L.= 32.72 ppb D.L.= 5.30 ppb D.L.= 7.06 ppb D.L.= 4.39 ppb D.L.= 8.09 ppb D.L.= 6.04 ppb D.L.= 5.38 ppb D.L.= 8.83 ppb D.L.= 15.18 ppb D.L.= 2.06 ppb D.L.= 3.93 ppb D.L.= 17.62 ppb D.L.= 4.75 ppb D.L.= 18.15 ppb D.L.= 5.92 ppb D.L.= 4.54 ppb D.L.= 4.37 ppb D.L.= 3.65 ppb D.L.= 11.27 ppb D.L.= 4.15 ppb D.L.= 3.96 ppb D.L.= 16.51 ppb D.L.= 11.54 ppb D.L.= 11.94 ppb D.L.= 1.24 ppb



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Goods Concentrates & Extracts	Residual Pesticides: Imazalil Imidacloprid Kresoxim-methyl Malathion Metalaxyl Methiocarb Methomyl Mevinphos	LCINST-003 PEST-001 (LC/MSMS, GC/MSMS)	D.L.= 8.98 ppb D.L.= 10.93 ppb D.L.= 7.08 ppb D.L.= 3.13 ppb D.L.= 4.67 ppb D.L.= 2.45 ppb D.L.= 8.79 ppb D.L.= 7.72 ppb
		Residual Pesticides: Myclobutanil Naled Oxamyl Paclobutrazol Permethrin-cis Permethrin-trans Phosmet Piperonyl butoxide Prallethrin Prophos Propiconazole Propoxur Pyrethrin Pyrethrin II Pyrethrin Pyrethrin I Pyridaben Spinetoram 1 Spinetoram 2 Spinosad A Spinosad D Spiromesifen Spirotetramat Spiroxamine Tebuconazole Thiacloprid Thiamethoxam Trifloxystrobin	PEST-001	D.L.= 7.07 ppb D.L.= 8.49 ppb D.L.= 7.46 ppb D.L.= 8.51 ppb D.L.= 1.90 ppb D.L.= 6.16 ppb D.L.= 5.11 ppb D.L.= 2.67 ppb D.L.= 23.47 ppb D.L.= 6.10 ppb D.L.= 9.09 ppb D.L.= 7.80 ppb D.L.= 2.78 ppb D.L.= 9.96 ppb D.L.= 2.31 ppb D.L.= 2.68 ppb D.L.= 1.19 ppb D.L.= 3.16 ppb D.L.= 0.83 ppb D.L.= 8.94 ppb D.L.= 8.08 ppb D.L.= 5.55 ppb D.L.= 6.05 ppb D.L.= 5.06 ppb D.L.= 7.60 ppb D.L.= 2.93 ppb
	Cannabis Goods Infused Topicals	Terpenes: cis-ocimene trans-ocimene alpha-pinene beta-pinene alpha-terpinene gamma-terpinene terpinolene	Terpinst-004 (GC/MS)	D.L.= 0.49 ppm D.L.= 1.16 ppm D.L.= 1.85 ppm D.L.= 0.47 ppm D.L.= 1.04 ppm D.L.= 0.52 ppm D.L.= 0.96 ppm



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

8312 Miramar Mall, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Goods Infused Topicals	Terpenes: alpha-bisabolol camphene delta-3-carene beta-caryophyllene caryophyllene oxide p-cymene eucalyptol geraniol guaiol alpha-humulene isopulegol limonene linalool beta-myrcene cis-nerolidol trans-nerolidol	Terpinst-004 (GC/MS)	D.L.= 3.16 ppm D.L.= 0.8 ppm D.L.= 0.48 ppm D.L.= 4.05 ppm D.L.= 1.75 ppm D.L.= 3.67 ppm D.L.= 16.92 ppm D.L.= 0.90 ppm D.L.= 0.84 ppm D.L.= 1.92 ppm D.L.= 3.57 ppm D.L.= 7.19 ppm D.L.= 0.74 ppm D.L.= 2.53 ppm D.L.= 3.03 ppm D.L.= n/a ppm
	Cannabis Goods Concentrates and Extracts	Terpenes: alpha-bisabolol camphene delta-3-carene beta-caryophyllene caryophyllene oxide p-cymene eucalyptol geraniol guaiol alpha-humulene isopulegol limonene linalool beta-myrcene cis-nerolidol trans-nerolidol cis-ocimene trans-ocimene alpha-pinene beta-pinene alpha-terpinene gamma-terpinene terpinolene	Terpinst-004 (GC/MS)	D.L.= 2.57 ppm D.L.= 1.24 ppm D.L.= 0.40 ppm D.L.= 1.96 ppm D.L.= 1.95 ppm D.L.= 1.03 ppm D.L.= 3.46 ppm D.L.= 0.50 ppm D.L.= 5.79 ppm D.L.= 0.92 ppm D.L.= 1.71 ppm D.L.= 2.90 ppm D.L.= 1.69 ppm D.L.= 1.26 ppm D.L.= 2.82 ppm D.L.= 3.90 ppm D.L.= 1.60 ppm D.L.= 0.72 ppm D.L.= 0.57 ppm D.L.= 1.45 ppm D.L.= 0.77 ppm D.L.= 0.57 ppm D.L.= 1.00 ppm



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

8312 Miramar Mall, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Plant Material	Terpenes: alpha-bisabolol camphene delta-3-carene beta-caryophyllene caryophyllene oxide p-cymene eucalyptol geraniol guaiol alpha-humulene isopulegol limonene linalool beta-myrcene cis-nerolidol trans-nerolidol cis-ocimene trans-ocimene alpha-pinene beta-pinene alpha-terpinene gamma-terpinene terpinolene	Terpinst-004 (GC/MS)	D.L.= 2.97 ppm D.L.= 0.90 ppm D.L.= 0.59 ppm D.L.= 0.99 ppm D.L.= 1.18 ppm D.L.= 2.36 ppm D.L.= 9.13 ppm D.L.= 2.48 ppm D.L.= 1.55 ppm D.L.= 5.57 ppm D.L.= 1.55 ppm D.L.= 2.90 ppm D.L.= 1.20 ppm D.L.= 1.59 ppm D.L.= 2.53 ppm D.L.= 3.40 ppm D.L.= 0.61 ppm D.L.= 0.89 ppm D.L.= 1.77 ppm D.L.= 0.80 ppm D.L.= 0.52 ppm D.L.= 0.61 ppm D.L.= 0.48 ppm



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

8312 Miramar Mall, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Goods Infused Edibles	Terpenes: alpha-bisabolol camphene delta-3-carene beta-caryophyllene caryophyllene oxide p-cymene eucalyptol geraniol guaiol alpha-humulene isopulegol limonene linalool beta-myrcene cis-nerolidol trans-nerolidol cis-ocimene trans-ocimene alpha-pinene beta-pinene alpha-terpinene gamma-terpinene terpinolene	Terpinst-004 (GC/MS)	D.L.= 2.22 ppm D.L.= 0.73 ppm D.L.= 0.38 ppm D.L.= 2.44 ppm D.L.= 5.34 ppm D.L.= 2.87 ppm D.L.= 5.52 ppm D.L.= 2.52 ppm D.L.= 2.25 ppm D.L.= 1.39 ppm D.L.= 1.41 ppm D.L.= 4.88 ppm D.L.= 0.66 ppm D.L.= 2.39 ppm D.L.= 2.35 ppm D.L.= 1.76 ppm D.L.= 0.54 ppm D.L.= 0.57 ppm D.L.= 1.32 ppm D.L.= 0.86 ppm D.L.= 0.60 ppm D.L.= 0.45 ppm D.L.= 0.60 ppm



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

8312 Miramar Mall, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Goods Other Infused Products	Terpenes: alpha-bisabolol camphene delta-3-carene beta-caryophyllene caryophyllene oxide p-cymene eucalyptol geraniol guaiol alpha-humulene isopulegol limonene linalool beta-myrcene cis-nerolidol trans-nerolidol cis-ocimene trans-ocimene alpha-pinene beta-pinene alpha-terpinene gamma-terpinene terpinolene		D.L.= 4.68 ppm D.L.= 0.54 ppm D.L.= 0.74 ppm D.L.= 3.89 ppm D.L.= 7.41 ppm D.L.= 2.28 ppm D.L.= 13.58 ppm D.L.= 3.98 ppm D.L.= 2.20 ppm D.L.= 2.25 ppm D.L.= 3.25 ppm D.L.= 3.58 ppm D.L.= 1.48 ppm D.L.= 2.96 ppm D.L.= 4.81 ppm D.L.= 3.86 ppm D.L.= 1.08 ppm D.L.= 1.10 ppm D.L.= 1.65 ppm D.L.= 1.64 ppm D.L.= 1.99 ppm D.L.= 0.69 ppm D.L.= 2.13 ppm



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121

8312 Miramar Mall, San Diego, CA 92121

Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical ^F	Cannabis Goods	Heavy Metals: Arsenic Cadmium Lead Mercury	HM-005 (ICP/MS)	D.L.= 3.09 ppb D.L.= 0.58 ppb D.L.= 1.21 ppb D.L.= 4.51 ppb
	Nude Nicotine Filters	Heavy Metals Cadmium Chromium Nickel Lead	HM-005 (ICP/MS)	D.L.= 0.6168 ppb D.L.= 16.9841 ppb D.L.= 15.5174 ppb D.L.= 2.2338 ppb
	Cannabis Goods Infused Edibles	Mycotoxins: Aflatoxin B1 Aflatoxin B2 Aflatoxin G1 Aflatoxin G2 Ochratoxin A	LCINST-003 (LC/MSMS)	D.L.= 2.6 ppb D.L.= 2.04 ppb D.L.= 2.97 ppb D.L.= 1.89 ppb D.L.= 3.87 ppb
	Cannabis Goods Infused Topicals	Mycotoxins: Aflatoxin B1 Aflatoxin B2 Aflatoxin G1 Aflatoxin G2 Ochratoxin A	LCINST-003 (LC/MSMS)	D.L.= 1.94 ppb D.L.= 2.65 ppb D.L.= 3.91 ppb D.L.= 1.54 ppb D.L.= 4.78 ppb
	Cannabis Goods Concentrates & Extracts	Mycotoxins: Aflatoxin B1 Aflatoxin B2 Aflatoxin G1 Aflatoxin G2 Ochratoxin A	LCINST-003 (LC/MSMS)	D.L.= 2.96 ppb D.L.= 3.36 ppb D.L.= 1.73 ppb D.L.= 2.07 ppb D.L.= 4.41 ppb
	Cannabis Goods Infused Products	Mycotoxins: Aflatoxin B1 Aflatoxin B2 Aflatoxin G1 Aflatoxin G2 Ochratoxin A	LCINST-003 (LC/MSMS)	D.L.= 2.046 ppb D.L.= 1.626 ppb D.L.= 1.774 ppb D.L.= 1.016 ppb D.L.= 5.416 ppb
	Cannabis Products	Water Activity	WA-001 (WA METER)	0.0-1.0 A _w
	Cannabis Plant Material	Moisture	MOIST-001 (IR-GRAVIMETRIC)	0-100 %
		Mycotoxins: Aflatoxin B1 Aflatoxin B2 Aflatoxin G1 Aflatoxin G2 Ochratoxin A	LCINST-003 (LC/MSMS)	D.L.= 0.99 ppb D.L.= 2.0 ppb D.L.= 3.38 ppb D.L.= 0.78 ppb D.L.= 6.43 ppb



Certificate of Accreditation: Supplement

Infinite Chemical Analysis Labs

8380 Miramar Mall, Suite 102, San Diego, CA 92121
8312 Miramar Mall, San Diego, CA 92121
Contact Name: Josh Swider Phone: 858-623-2740

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Microbiological ^F	Cannabis Goods	Microbial Analysis Escherichia coli Salmonella spp A. fumigatus A. flavus A. niger A. terreus Salmonella spp Escherichia coli	MICRO-017 (PCR)	Presence/Absence in 1 g
	All Cannabis Goods	Filth & Foreign Material	FOREIGN-001 (VISUAL)	Presence/Absence

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer ^F would mean that the laboratory performs this testing at its fixed location.

